

+

1/46




Fig. 1A

+

Fig 1B

2/46




Fig 1C




Fig 1D






Fig. 2B



3/46

Fig. 2A





Fig. 2D

Fig. 3C




Fig. 3D




Fig. 4B Fig. 4A




Fig. 4C Fig. 4E





Fig. 4D



5/46




Fig. 5B




Fig. 5A




Fig. 5E




Fig. 5D





Fig. 5C



+

Fig. 6A





Fig. 6C



7/46




Fig. 6B




Fig. 6D

+

+

8/46

Fig. 6E




FIG. 6E

+

+

9/46




FIG. 6F

+

+

Fig. 7A






Fig. 7B



14B



14 14A





Fig. 7C

Fig. 7D



10/46

FIG. 7A: 300x100

+

11/46





FIG. 8

Fig. 9

+






Fig. 10A



+

"FIG. 10" CONTINUED

13/46

Fig. 11A





Fig. 11B



+



15/46






Fig. 13


60343 32031550

Fig. 14



16/46






17/46

FIG. 15

18/46


Fig. 16




+



20/46



21/46



22/46





Fig. 21

23/46

TAG LOGIC FOR
SAR COMMAND PROCESS



24/46

READER LOGIC FOR
 SAR TAG ACQUISITION

Fig. 22




Fig. 23

25/46




Fig. 24




Fig. 25

26/46

Site Name 2001/02/14 11:12 AM		Log Off Fleet Vehicle Tire Filter About Help					
Display: TABLE		Tire TempTire2					
		Vehicle: Temp Vehicle Manufacturer : Dummy Manufacturer Model: Dummy Model Tire Position: LF Target Fill: n/a					
Filter Criteria:			Date	Tag SN	Temperature	Cold Fill	Gauge
Tires							Obs Type
fffe00		1	10/31/2000 11:20:06 PM	16776728	61.875	122.948654	142.5333
fffe01		2	10/31/2000 06:48 42 PM	16776728	53.28125	122.367874	137.88486
fffe04		3	10/31/2000 03:35.11 PM	16776728	51.71875	122.4223	137.2208
fffe05		4	10/31/2000 02:48:54 PM	16776728	50.9375	122.14975	136.55673
fffe06		5	10/31/2000 11:06:00 AM	16776728	47.8125	121.651474	134.56454
fffe07		6	10/29/2000 01:20:49 PM	16776728	53.28125	122.367874	137.88486
fffe09		7	10/29/2000 11:44:50 AM	16776728	53.28125	122.367874	137.88486
fffe0a		8	10/29/2000 09:45:42 AM	16776728	57.96875	122.79523	140.5411
fffe15		9	10/29/2000 08:56:58 AM	16776728	57.1875	122.528534	139.87704
fffe17		10	10/29/2000 08:54:22 AM	16776728	57.1875	121.93959	139.21298
fffe1a		11	10/29/2000 06:54:29 AM	16776728	59.53125	122.74007	141.20517
fffe1b		12	10/29/2000 06:52:24 AM	16776728	59.53125	122.15529	140.5411
TempTire 1		13	10/29/2000 05:29:21 AM	16776728	60.3125	122.420975	141.20517

Fig. 26




Fig. 27

27/46

About Help

Fleet Vehicle Tire Date

Name: Temp Vehicle
ETMS Dummy Test Vehicle

Manufacturer: UNKNOWN
Dummy Manufacturer

Model: Model UNKNOWN
Dummy Model

Status: ONLINE
OFFLINE

State: All
Alarm

Cancel Apply

Fig. 28

About Help

Fleet Vehicle Tire Date

Name: fffe00-fffe00-16776704
fffe01-fffe01-16776705
(Brand Number-Tire Serial Number-Tag Serial Number)

Manufacturer: Dummy Manufacturer
UNKNOWN

Model: All
Dummy Model Number

Position: All
UNKNOWN

Size: All
DummyX40

Status: All
ONLINE

State: All
Alarm

Cancel Apply

Fig. 29

28/46

BRIDGESTONE
Firestone

Current Site: Boulder

[Create User](#)
[Edit User](#)
[Delete User](#)

[Webmaster](#)

[Boulder](#)

UNKNOWN
[admin](#)

ID#1
ID#2
ID#3
ID#4
ID#5
ID#6
ID#7
ID#8
ID#9
ID#10
ID#11

Log Off Fleet Vehicle Tire Tags Site Change Site Help

User Overview

User ID: Boulder
First Name: Bob Last Name: Boulder
Telephone: X
Pager: E-Mail
Site: Boulder
Location:
Last Login:
Number of Failed Login Attempts: 0
Maximum number of Login failures permitted: 5
Account disabled: False

Fig. 30

BRIDGESTONE
Firestone

Current Site: Boulder

[Create User](#)
[Edit User](#)
[Delete User](#)

[Webmaster](#)

[Boulder](#)

UNKNOWN
[admin](#)

ID#1
ID#2
ID#3
ID#4
ID#5
ID#6
ID#7
ID#8
ID#9
ID#10
ID#11

Log Off Fleet Vehicle Tire Tags Site Change Site Help

User Overview

User ID: Boulder
First Name: Bob
Last Name: Boulder
Telephone: X
Pager: E-Mail
Site: Boulder
Location:
Last Login:
Number of Failed Login Attempts: 0
Maximum number of Login failures permitted: 5
Account disabled: False

COMPOSITION

File Edit View Insert Format Tools Communicator Help

Send Quote Address Attach Options Spelling Save Print Security Stop

TO: ETMSWebmaster@CrosslinkInc.com

SUBJECT:

PRIORITY: NORMAL

NORMAL VARIABLE WIDTH 18 A A

This is how a user can contact the webmaster about questions or problems right from their user screen.

Print this page

Fig. 31

29/46

The 'Edit Vehicle' window features a left sidebar with a logo (Bridgestone/Firestone), 'Current Site: Boulder', and 'Actions' (Save, Cancel). The main area contains a 'Vehicle:' text box, a 'Mfg Name and Model' dropdown menu (currently showing 'UNKNOWN MODEL UNKNOWN'), and two columns: 'Available Tires' (empty) and 'Tires Assigned to Vehicle' (containing a list of tire IDs: -S9N001045, -S9N000442, -S9N000443, -S9N000444, -S8L001345 with move buttons). Below these is a 'General Info:' section with fields for 'VIN:', 'Description:' (showing '-1'), 'Service Start DTS: -1', 'Curr Obs DTS: -1', and 'Inception DTS: -1'.

Fig. 32

The 'Edit Tire' window includes a top menu bar (Log Off, Users, Fleet, Vehicles, Tires, Tags, Site, Help) and a left sidebar with a logo, 'Current Site: Boulder', and 'Actions' (Save, Cancel). The main area contains fields for 'Tire Serial Number:' (S9N001045), 'Tire Brand:', 'Tire Target Fill Pressure:', 'Tire Position:0' (with a dropdown showing 'RF'), 'Hours On Vehicle:', and 'Hours Total:'. At the bottom, there is a 'Tire Mfg Name and Model' section with 'Available Tags' (empty) and 'Tags Assigned to Tire' (containing '16775702' with move buttons). A 'General Info:' section is partially visible at the bottom.

+


Fig. 33

30/46

The screenshot shows a web application interface. On the left is a sidebar with the Bridgestone and Firestone logos, the text 'Current Site: Boulder', and 'Actions' with 'Save' and 'Cancel' buttons. The main content area has a navigation bar with 'Log Off', 'Users', 'Fleet', 'Vehicles', 'Tires', 'Tags', 'Site', and 'Help'. Below the navigation bar is the title 'Create a New Tag'. There are five input fields with labels: 'Tag Serial Number:', 'Tag Temperature Bias:', 'Tag Temperature Scale:', 'Tag Pressure Bias:', and 'Tag Pressure Scale:'.

Fig. 34


PROTOCOL OVERVIEW



+


31/46

Fig. 35




32/46

Fig. 36



MANCHESTER ENCODING


Fig. 37B



TIMING DIAGRAM WITH PREAMBLE & CRC


Fig. 37A

33/46



TIMING DIAGRAM WITH PREAMBLE, CRC, POSTAMBLE


Fig. 37C



TAG RECEIVER WAKEUP

34/46


Fig. 38



35/46


Fig. 39

LUCID SLEEP




36/46
Fig. 40

INITIALIZATION




37/46
Fig. 41A

SENSOR PROCESSING




38/46
Fig. 41B

SENSOR PROCESSING




39/46
Fig. 42
SEARCH




40/46

Fig. 43

INTERROGATION




41/46
Fig. 44
INTERRUPT SERVICE



+

42/46

Fig. 45A



+

43/46

Fig. 45B

PACKET PROCESSING (PRE-DISCRIMINATION)





Fig. 45C

44/46


PACKET PROCESSING (SHIFT DATA PROCESS)



45/46

Fig. 46

COMMAND ROUTINE



46/46

Fig. 47

